





WARNING!

- READ THE PROVIDED INSTRUCTIONS PRIOR TO INSTALLING.
- INSTALLATION MUST BE CARRIED OUT BY QUALIFIED INSTALLERS.
- THE INSTALLER HAS THE FINAL RESPONSIBILITY FOR THE STRENGTH AND RIGIDITY OF THE WALL/CEILING STRUCTURE.
- A MINIMUM OF 2 PEOPLE REQUIRED WHEN INSTALLING LONG LENGTH FIXTURES.




LUMINAIRE SHOWN AS AN UPLIGHT

MOUNT DIMENSIONS




PACKAGE INCLUDES



ITEMS NEEDED (BY OTHERS)




ISOMETRIC / EXPLODED VIEW




- (1) Leaf® 3650 Fixture
- (2) Yoke Mount
- (3) 1/2" Mounting Screws (by others)
- (4) Cord Grip
- (5) Yoke Mount Hardware

1 INSTALL YOKE MOUNT WALL

- INSTALL YOKE MOUNT TO WALL USING (2) 1/2" SCREWS (BY OTHERS).

**2 ATTACH FIXTURE TO YOKE MOUNT**

- FEED CORD THROUGH CORD GRIP
- ALIGN THE SCREW, WASHER, AND SPLIT WASHER TO THE SIDE OF THE FIXTURE.
- TIGHTEN SCREWS UNTIL SECURE.



3 SELECT DESIRED ANGLE

- ROTATE AND TILT THE FIXTURE INTO THE DESIRED ANGLE AND TIGHTEN SCREWS.

